

VitaFer sp. z o.o. sp. k.

Al. Krakowska 19, 05-555 Tarczyn NIP:1231426805; KRS: 0000772883

SAFETY DATA SHEET VitaFer Micro – Suspension Foliar Fertilizer

SECTION 1 IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Product identifier VitaFer Micro

1.2 Relevant identified uses Fertilizer for fertilizing farm plants, vegetables and

orchard plants

1.2 Uses advised against other than the ones mentioned above

1.3 Details of the supplier VITAFER Sp. z o.o. Sp.k.

19 Al. Krakowska str., 05-555 Tarczyn

Responsible for the Safety Data Sheet office@vitafer.pl

1.4 Emergency telephone number 112

Prepared on 01-01-2020 (version 01)

SECTION 2 HAZARDS IDENTIFICATION

Classification of the mixture

2.1. Classification according to Regulation (EC) 1272/2008 (See SECTION 16 for full text of the H phrases)

Causes skin irritation, category 1 – H315 Causes serious eye irritation, category 1 – H319

Harmful to aquatic life with long lasting effects, cat. 3 - H412

2.2 Label elements in compliance with Regulation (EC) 1272/2008

Hazard pictograms:



Signal word: **Warning** *Hazard statements:*

H 315 Causes skin irritation
H 319 Causes serious eye irritation

H 412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P 264 Wash hands and face thoroughly after handling.

P 280 Wear protective gloves/protective clothing/eye protection/face protection.

P 302 + P 352 IF ON SKIN: Wash with soap and water

P 332 + P 313 IF SKIN IRRITATION OCCURS: Get medical advice/attention

P 305 + P 351 IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if

+ P 338 present and easy to do. Continue rinsing.

P 337 + P 313 IF EYE IRRITATION PERSISTS: Get medical advice/attention.

P 501 Dispose of contents/container as hazardous waste.

2.3 Other hazards

"EC Fertilizer"

"Type C 2.11. A suspension fertilizer NK 8-10 with an addition of magnesium oxide (MgO) and sulphur trioxide (SO3), with micronutrients: boron (B), copper (Cu), iron (Fe), manganese (Mn), molybdenum (Mo) and zinc (Zn)".

PBT and vPvB criteria: The criteria for the identification of PBT and vPvB properties according to Annex XIII of REACH do not apply to inorganic substances.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

The mixture

| Name of the substance | Index number | CE number | CAS number | Weighted % | EC No. 1272/2008 classification |
|-------------------------------------------|-----------------------------|-----------|----------------|-------------|---------------------------------|
| Potassium hydroxide * | 01-2119487136- 33-006 | 215-181-3 | 1310-58-3 | > 15-20% | H 302; H 314 H 290 |
| Iron (II) sulphate heptahydrat e | 01-2119513203- 57-XXXX** | 231-753-5 | 7782-63-0 | > 2-≤5% | H 302; H 319 H 315 |
| Manganese sulphate monohydrat e | 01-2119456624- 35-XXXX | 232-086-9 | 10034-96- 5 | > 1-≤1.4% | H318; H373 H411 |
| Zinc sulphate monohydrat e | 01-2119474684- 27-0021 | 231-793-3 | 7446-19-7 | > 0.8-≤0.9% | H 302; H 318 H 400; H 410 |

(See SECTION 16 for full text of the H phrases)

Potassium hydroxide:

Skin Corr. 1A; H314; $C \ge 5$ % Skin Corr. 1B; H314; $2 \% \le C < 5 \%$ Skin Irrit. 2; H315; $0.5 \% \le C < 2 \%$ Eye Irrit. 2; H319; $0.5 \% \le C < 2 \%$

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

General remarks – Remove contaminated clothing and shoes. In the event of contact with the product (eyes, skin, respiratory system, ingestion) consult/visit a doctor. Show the safety data sheet or label.

Inhalation – Remove from the area of exposure to fresh air. In the event of breathing problems, seek medical attention.

Skin contact – Wash contaminated skin with a lot of cold water. If skin is irritated, consult a dermatologist.

Eye contact – Irrigate copiously with water for at least 15 minutes, holding the eyelids apart. Remove contact lenses. Avoid strong water jet due to risk of damage to cornea. Seek medical advice immediately.

Ingestion – Paramedic care typical in cases of acute poisoning is gastric lavage. Call the doctor or seek medical attention. Do not give any medicines to the unconscious person.

Personal protective equipment for a paramedic - not specified.

4.2 Most important symptoms and effects, both acute and delayed:

Eyes: may cause pain, irritation, reddening, and epiphora.

Skin: may cause irritation, inflammation on long-term or repetitive contact.

Inhalation: no data available **Ingestion**: no data available

4.3 Indication of immediate medical attention and special treatment needed

Hand the doctor the safety data sheet of the mixture. A decision on further treatment should be taken by a doctor after examining the person affected.

SECTION 5 FIRE-FIGHTING MEASURES

^{*}Specific limit concentration for:

^{**}In accordance with annex V of the REACH Resolution registration is not obligatory for hydrates. The manufacturer of the hydrated form of the compound has to register the non-hydrated form.

5.1 Extinguishing media

Suitable extinguishing media: the product is non-flammable. Use extinguishing media suited to the materials stored in the immediate vicinity.

Extinguishing media not to be used: not specified

5.2 Special hazards arising from the mixture

During fire sulphur oxides and potassium oxides may be produced.

5.3 Advice for fire-fighters

Do not stay in the danger zone without appropriate chemical protective clothing and a self-contained breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Protective equipment for personal protective equipment see section 8 prevention of skin and eye contamination.
- Emergency procedures not specified

For emergency responders: not specified

6.2 Environmental precautions

Do not allow large quantities of the substance enter the sewerage system and water reservoirs. Prevent further spreading.

6.3 Methods and materials for containment and cleaning up

The released product must be put in a waste container (use industrial vacuum cleaners or sprinkle with a sorbent). Dispose of as dangerous waste in accordance with the applicable regulations.

6.4 Reference to other sections.

Section 8.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Fire precautions: the product is non-flammable

Precautions against the generation of aerosols - not specified

Environment protection measures – the product must be used in accordance with the manufacturer's instructions (appropriate dilution)

Follow the occupational health and safety regulations and use protective equipment (see section 8). Avoid contamination of eyes and skin.

Do not eat, drink or smoke while using the product. Wash hands after the use.

7.2 Conditions for safe storage, including any incompatibilities

Store in the original, closed and appropriately marked containers. The warehouse should be locked and inaccessible for unauthorised persons. Avoid exposure to high temperatures and direct sunlight.

The appropriate range of storage temperature is $+5^{\circ}$ C to $+30^{\circ}$ C (the optimum temperature is 25° C). Store in a dry and well ventilated place. Secure the containers against physical damage.

Avoid contact with oxidisers

7.3 Specific end use(s)

No additional instructions.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Permissible national occupational exposure limits

Potassium hydroxide: TLV-TWA 0.5 mg/m3 TLV-STEL 1 mg/m3 Manganese sulphate: TLV-TWA 0.3 mg/m3 (expressed in Mn) TLV-STEL not specified

Legal basis: The decree of the Minister of Labour and Social Policy of 29.11.2002 on maximum allowable concentrations and threshold limit values of agents with adverse health effects in workplace (Journal of Laws No. 217 item 1833).

Monitoring methods:

■ PN-EN 14042 Workplace atmospheres. The guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

DNEL values:

Potassium hydroxide:

Workers - long-term systemic effects; effect on respiratory tract 1 mg/kg bw/day

Iron sulphate:

Consumer: oral/skin - 0.8 mg/kg/day; exposure 24h, method: ECHA AF Consumer: inhalation – 1.4 mg/m3; exposure 24h, method: ECHA AF Consumer: oral/skin - 4 mg/kg/day; exposure 24h, method: ECETOC AF Consumer: inhalation - 7 mg/m3; exposure 24h, method: ECETOC AF Worker: skin - 1.6 mg/kg/day; exposure 8h, method: ECHA AF Worker: inhalation – 5.5 mg/m3; exposure 8h, method: ECHA AF

Worker: inhalation – 5.5 mg/m3, exposure 8h, method: ECETOC AF Worker: inhalation – 27.5 mg/m3; exposure 8h, method: ECETOC AF

Manganese sulphate

Workers – long-term systemic effects; skin – 0.00414 mg/kg bw/day Workers – long-term systemic effects; inhalation – 0.2 mg/m3 Society – long-term systemic effects; skin – 0.0021 mg/kg bw/day Society – long-term systemic effects; inhalation – 0.043 mg/m3

PNEC values

Iron Sediment (g Fe/kg dwt) – 49.5 Soil (g/kg dwt) 55 STP (mg Fe/l) – 5000

Manganese sulphate monohydrate:

Water (fresh water) – 0.0128 mg/l Water (sea water) – 0.0004 mg/l Water (sporadic releases) – 0.03 mg/l Sediment (fresh water) – 0.0114 mg/kg sediment Sediment (sea water) – 0.00114 mg/kg sediment Water treatment plant – 56 mg/l Soil – 25.1 mg/kg soil

8.2 Exposure controls

Appropriate engineering controls

If the user generates dust, gas, vapour or mist, use process barriers, local exhaust vents or other technical safety devices that help maintain the level of exposure under the statutory limits.

Individual protection measures:

- Eye and face protection protective goggles with side protection in accordance with PN EN 166
- Hand protection protective gloves tested and chosen based on the standards PN-EN 374. Recommended materials are neoprene, nitrile.
- Respiratory protection AP filters required when vapours/mists are generated
- Skin protection protective clothing
- Environmental exposure controls do not allow the product to enter the sewerage system. Prevent further spreading if it is safe. In rivers, lakes or sewage are contaminated with the product, inform authorities.

8.3 Environmental exposure controls

Before the product is used, assess the occupational risk and take appropriate preventive measures.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 Information on basic physical and ch | Test method | |
|------------------------------------------|-------------------|---------------|
| Appearance | Green suspension | Organoleptic |
| Odour | Typical | Organoleptic |
| Odour threshold | N/A | |
| pH of 1% solution in 20°C | 5.0 – 7.0 | Potentiometer |
| Melting/freezing point | No data available | |
| Boiling point and boiling range | No data available | |
| Flash point | No data available | |
| Evaporation rate | No data available | |
| Flammability (solid, gas) | N/A | |

| Upper/lower flammability limit | N/A | |
|---------------------------------------|-------------------|-------------------|
| Upper/lower explosive limit | N/A | |
| Vapour pressure | No data available | |
| Vapour density | No data available | |
| Relative density | 1.45 kg/l | No data available |
| Water solubility | Soluble in water | |
| Partition coefficient n-octanol/water | No data available | |
| Auto-ignition temperature | No data available | |
| Decomposition temperature | No data available | |
| Viscosity | No data available | |
| Explosive properties | No data available | |
| Oxidizing properties | No data available | |

9.2 Other information none

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Non-reactive while stored, used and applied under normal conditions.

10.2. Chemical stability

The product is stable under recommended use and storage conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep away from high temperature and direct sunlight. Avoid changes in temperature. Do not allow the temperature to drop below 5°C.

10.5. Incompatible materials No data available

Avoid contact with oxidisers.

10.6. Hazardous decomposition products

During fire or on heating it may produce phosphorus and potassium oxides.

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects of the mixture

Acute toxicity: no data on the mixture available

Skin irritation/corrosion: no data on the mixture available **Eye irritation/damage**: no data on the mixture available

Respiratory or skin sensitisation: no data on the mixture available

Mutagenicity: no data on the mixture available Carcinogenicity: no data on the mixture available Reproductive toxicity: no data on the mixture available

Specific target organ toxicity – single exposure: no data on the mixture available Specific target organ toxicity – repeated exposure: no data on the mixture available

Aspiration risk: no data on the mixture available

Data on the components

Potassium hydroxide:

Acute toxicity:

LD50 (oral rat) 333 mg/kg Skin corrosion, category 1A

Causes severe burns and eye damage

Highly corrosive to skin and mucous membranes

Information on the probable ways of exposure

Skin – possible irritation.

Eyes - possible irritation.

Symptoms related to physical, chemical and toxicological properties

No data available

Delayed, direct or chronic effects of short-term and long-term exposure

Skin – inflammation on long-term or repetitive contact.

Interaction effects

No data available

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity - for the mixture

Acute toxicity (short-term):

Fish - no data available

Crustaceans - no data available

Algae/aquatic plants - no data available

Other organisms - no data available

Chronic toxicity

Fish - no data available

Crustaceans - no data available

Algae/aquatic plants - no data available

Other organisms - no data available

Acute toxicity of the components:

Acute toxicity for: zinc sulphate monohydrate (anhydrous substance)

Toxicity for fish: LC50: > 1.5 mg/l/96 h Jordanella floridae

Toxicity for aquatic invertebrates: EC50: 0.75 mg/l/48 Daphnia magna Toxicity for aquatic plants: EC50: 32 µg/l/4 h Ankistrodemus falcatus

Toxicity for bacteria: NOEC50: ≥ 1.95 g/l/7 day Eulenea sp.

M coefficient for acute toxicity = 1

Aquatic toxicity, category 1: very toxic for aquatic organisms

Manganese sulphate monohydrate

Toxicity for fish: LC50 (96 h) = 30 mg/l Mn LC50 (96 h) = 14.5 mg/l Mn

- **12.2. Persistence and degradability** does not apply to inorganic substances.
- **12.3 Bioaccumulative potential** does not apply to inorganic substances.
- **12.4 Mobility in soil** no data on the mixture available.
- 12.5 Results of PBT and vPvB assessment no data on the mixture available.
- **12.6.** Other adverse effects no data on the mixture available.

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods:

Empty, not cleaned container - recycling

Mixture – dilute with water, it is not recommended to drain the product that is not diluted.

Sorbent with the mixture - consult an expert

Waste catalogue no .:

02 01 08* - Agrochemical waste containing dangerous substances, including pesticides of I and II toxicity class (very toxic and toxic)

15 01 10* - Packaging containing residues of or contaminated by dangerous substances.

Recycling waste - key information - no data available

Sewage disposal – key information – no data available

Other instructions on waste treatment

The containers must be well emptied and then disposed of in accordance with the applicable regulations.

The waste must be treated appropriately, in consideration of the regional, national and European regulations as well as in consideration of the local conditions, by the entity whose business is waste treatment.

The regulations of the Waste Act of 14 December 2012 (Journal of Laws 2013, item 21) must be applied accordingly. The regulations of the act of 13 June 2013 on packaging and packaging waste management (Journal of Laws 2013, item 888) must be applied accordingly.

SECTION 14 TRANSPORT INFORMATION

The product is not classified as hazardous in transport.

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Special legal regulations referring to this mixture

Directive 96/82/EC and the decree of the Minister of Economy on the types and amount of dangerous substances whose presence in a facility make it a high risk facility or a facility with a high risk of a serious industrial emergency, dated 10 October 2013 (Journal of Laws 2013, item 1479).

The mixture is not mentioned in an annex to this decree.

EU regulations

- Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EEC AND 2000/21/EC. (Revision of the Regulation L136/3 of 29-05-2007)
- Regulation EC No. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- 3. Commission Regulation (EU) No. 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 4. Regulation (EC) No. 2003/2003 of the European Parliament and of the Council of 13 October 2003 relating to fertilizers

National regulations:

- 5. Act of 25 February 2011 on chemical substances and their mixtures (Journal of Laws 2011, No. 63, item 322 as amended)
- 6. Act of 27 April 2011 Environmental Protection Law (uniform text, Journal of Laws 2013, No. 0, item 1232 as amended)
- 7. Decree of the Minister of Health, dated 20 April 2012, on the labelling of the packaging of dangerous substances and dangerous mixtures and some other mixtures (Journal of Laws 2012, No. 0, item 445 as amended)
- 8. Decree of the Minister of Health, dated 10 August 2012, on the criteria and method of the classification of chemical substances and their mixtures (Journal of Laws 2012, No. 0, item 1018 as amended)
- 9. Government order, dated 24 August 2004, on the list of works that the juveniles are not allowed to perform and the conditions in which they can perform those works (Journal of Laws 2004, No. 200, item 2047 as amended)
- Government order, dated 10 September 1996, on the list of works that women are not allowed to perform (Journal of Laws 1996, No. 114, item 545 as amended)
- 11. Government announcement, dated 28 May 2013, on the amendments to the Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road ADR, concluded in Geneva on 30 September 1957, becoming effective (Journal of Laws 2013 0 815)
- 12. Act of 10 July 2007 on fertilizers and fertilization and its later amendments
- 13. Waste Act of 14 December 2012 (Journal of Laws 2012.21 as amended)

15.2 Chemical safety assessment

The manufacturer has not performed a chemical safety assessment of the mixture.

SECTION 16 OTHER INFORMATION

List of amendments: N/A

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by ROAD

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration SVHC: Substance of Very High Concern

TLV-TWA: Threshold limit value - time-weighted average TLV-STEL: Threshold limit value - short-time exposure limit

PBT: Persistent bioaccumulative toxic chemical vPvB: very persistent and very bioaccumulative

LD50: Median lethal dose LC50: Lethal concentration

EC50: Median effective concentration NOEC: No observable effect concentration

Mixture classification method

Causes skin irritation, category 1 - H315 - pH 5.0 - 6.0 (in accordance with 3.2.3.3.4.2 of the CLP Regulation)

Causes serious eye irritation, category 1 - H319 - pH 5.0 - 6.0 (in accordance with 3.2.3.3.4.2 of the CLP Regulation)

Harmful to aquatic life with long lasting effects cat. 3 – H412 – calculation method

Full text of H phrases referring to Section 2 and 3

| H 290 | May be corrosive to metals. |
|-------|-----------------------------|
| H 303 | Harmful if ewallowed |

H 302 Harmful if swallowed

H 314 Causes severe skin burns and eye damage

H 315 Causes skin irritation
H 318 Causes serious eye damage
H 319 Causes serious eye irritation

H 373 May cause damage to organs through prolonged or repeated exposure

H 400 Very toxic to aquatic life

H 410 Very toxic to aquatic life with long lasting effects
H 411 Toxic to aquatic life with long lasting effects

Recommended training:

On-the-job training

- Training on the hazards related to the mixture and the preventive measures in the occupational hazard assessment
- Training on actions to be taken in the event of a release of the substance

Other information

The information above has been prepared based on our current knowledge and describe the product in terms of environmental protection and safe use. The information is no guarantee of the product quality or a quality specification of the product and no complaints can be based on the information.